



Dial up your guest experience a notch with our contemporary corded phones. Elegant styling lends a modern, fresh touch to guest rooms, while antibacterial plastic protects guests and housekeeping staff from germs.

Contemporary SIP Corded Phone | 1-Line S2210-L | 2-Line S2220-L

### Key Features

- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB Charging Port - Conveniently charge the guest's smart phone and other electronic devices
- Remote Configuration - Program speed dials and other network parameters remotely from the server room to avoid disturbing the guest
- Base Speakerphone - With the touch of a button, the base speakerphone makes hands-free conversations easy

### Phone Features

- 10/100Mbps RJ45 switched computer port provides HSIA for guest computer
- Large, bright visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
- Power over Ethernet (PoE) — Telephone features will work without needing to plug into AC power
- Fully customizable faceplate for hotel brand and dialing instructions
- 0, 3, 5 or 10 customizable speed dials provide the hotel's services and amenities at the guest's fingertips
- Conference (2-Line phone only), Flash, Hold, Mute
- Base dialpad
- Desk- or wall-mountable
- Hearing aid compatible
- Multi-step volume control for ring tones, speakerphone and handset
- Selectable ring tones
- Sturdy, solid phone stays in place on the desk or nightstand
- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- 2-year limited warranty



Silver and Black



Matte Black



Silver and Pearl



## Contemporary SIP Corded Phone | 1-Line S2210-L | 2-Line S2220-L

### Specifications

Certified with all major SIP PBXs

Colors: Silver Black, Matte Black, Silver Pearl

Power Source: PoE

Master Carton Measurements: 22.2 in. x 17.8 in. x 9.7 in., 29.3 lbs, 12 per carton

Phone Measurements: 8 in. x 6 in. x 4.2 in., 2.2 lbs

Message waiting signal type: Varies by PBX

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

#### Certifications:

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS

#### Cords:

- 12-foot standard coiled handset cord
- 10-foot standard LAN cable with RJ45 connectors



Silver and Black



Matte Black



Silver and Pearl

**Contemporary SIP Corded Phone | 1-Line S2210-L | 2-Line S2220-L**

**Product Part Numbers**

|   | Silver and Black  | Matte Black       | Silver and Pearl  |
|---|-------------------|-------------------|-------------------|
| • Model No. S2210-L:<br>1-Line Corded Speakerphone,<br>10 Speed Dial Keys     | 80-H0C7-00-000-10 | 80-H0C7-13-000-10 | 80-H0C7-08-000-10 |
| • Model No. S2210-L:<br>1-Line Corded Speakerphone,<br>5 Speed Dial Keys      | 80-H0C7-00-000-5  | 80-H0C7-13-000-5  | 80-H0C7-08-000-5  |
| • Model No. S2210-L:<br>1-Line Corded Speakerphone,<br>3 Speed Dial Keys      | 80-H0C7-00-000-3  | 80-H0C7-13-000-3  | 80-H0C7-08-000-3  |
| • Model No. S2210-L:<br>1-Line Corded Speakerphone,<br>Custom Speed Dial Keys | 80-H0C7-00-000-CC | 80-H0C7-13-000-CC | 80-H0C7-08-000-CC |
| • Model No. S2220-L:<br>2-Line Corded Speakerphone,<br>10 Speed Dial Keys     | 80-H0C8-00-000-10 | 80-H0C8-13-000-10 | 80-H0C8-08-000-10 |
| • Model No. S2220-L:<br>2-Line Corded Speakerphone,<br>5 Speed Dial Keys      | 80-H0C8-00-000-5  | 80-H0C8-13-000-5  | 80-H0C8-08-000-5  |
| • Model No. S2220-L:<br>2-Line Corded Speakerphone,<br>3 Speed Dial Keys      | 80-H0C8-00-000-3  | 80-H0C8-13-000-3  | 80-H0C8-08-000-3  |
| • Model No. S2220-L:<br>2-Line Corded Speakerphone,<br>Custom Speed Dial Keys | 80-H0C8-00-000-CC | 80-H0C8-13-000-CC | 80-H0C8-08-000-CC |



Silver and Black



Matte Black



Silver and Pearl