




- Features:**
- Mute, Flash, Speaker, Hold and Redial function.
 - Supports message waiting lamp key with retrieval function.
 - The volume can be adjusted in 5 levels.
 - Supports DHCP (dynamic host configuration protocol) and static IP address protocol for getting IP address.
 - Supports PCMU, G.723.1, G.729a/b, PCMA speech decoding algorithms.
 - Supports RFC2833, SIP INF, and other DTMF transmission mode.
 - Supports IEEE802.1 Q standard, IEEE802.3 as standard.
 - Supports SIP protocol's standards.
 - Supports updating the program by HTTP.
 - Dynamic voice detection; Voice polishing; Voice buffering.
 - Integrated Poe power supply and easy for installation.

CONTROLS AND FUNCTIONAL KEYS



Handset

1. 6 functional keys
2. 12 numerical keys
3. Message and ringing indicator

Base

4. Table stand
5. Base station
6. Handset cord jack

Base – rear

7. WAN Jack
8. Ethernet Cable

Features Description of the functional keys

FLASH	- Flash button
MSG	- MSG button
REDIAL	- Redial button
MUTE	- Mute button
▼ ▲	- To lower or increase the handset volume
✖	- Key for special services
#	- Key for special services

Tested with the following PBX and release:

- Alcatel OXO R10.0/11.0
- Cisco CM7.1 / Cisco BE6000 UCS C220M3 Software Version 10 call manager
- Mitel MiVoice 5000
- Siemens Hipath 4000 V6.0
- Avaya Communication manager 8800

Material:	ABS
Colours:	Anthracite with silver coloured plates.
Approved standards:	EN 55022 and EN 55024