hoteltelephones.com

vtech[®] | Hospitality







vtech[®] | Hospitality

The Smallest Cordless Phone on the Market

CTM-A2415 Analog, Cordless, 1-line phone

CTM-C4102 Accessory handset for CTM-A2415





CTM-A2415 Matte black

CTM-A2415HC Analog, Cordless, Accessory handset with charger

C4012 Accessory charger for CTM-C4102



CTM-A2415HC Matte black CTM-C4102 + C4012

KEY FEATURES

- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Backup battery ensure guests can still use phone during power outages
- Backup battery matches handset battery, ease for hotel stock management in single type of battery only
- Base backup battery supports up to 30 mins in standby mode and 30 mins handset talk time
- Available in Matte Black or Silver Black
- ENERGY STAR® * qualified

Cordless Features

- Adjustable RF transmission power prevents interference
- Built-in speakerphone on both base and cordless handset
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Expandable cordless system: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Answer a call by simply picking up the handset from the charger
- DECT 6.0* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Register additional handsets quickly and easily
- Side handset volume control for easy access
- Pre-installed battery means quick installation



Phone Features

- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Large visual message waiting indicator compatible with all major PBXs
- Four programmable speed dial/guest service buttons on base
- Dedicated EMERGENCY and MESSAGE keys, plus two additional speed dial/guest service buttons on handset
- Desk- or wall-mountable (wall mount brackets sold separately)
- Fully customizable faceplates
- Hearing Aid compatible

^{*} This feature is available for US and Canada market only.



The Smallest Cordless Phone on the Market

SPECIFICATIONS

Colors: Matte Black, Silver Black

Power source: External power

Radio Frequency baseband:

Available in DECT 6.0 1.9GHz, and DECT 1.8GHz Europe version

Message waiting signal type: High voltage, Avaya low voltage,

Alcatel low voltage, FSK, reverse polarity, Siemens, Panasonic

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

5-year limited warranty

CERTIFICATIONS

HAC

FCC Part 15 Class B

FCC Part 68

1001 att 00

UL / cUL

CE

IC

RoHS

Energy Star® *

ADA Compliant

CORDS

Desk Version

2-in-1 Y-cable telephone card

combined with power jack

1.5 meters

DIMENSIONS

Carton Measurements: (12 pcs per carton)

CTM-A2415 - 16.34 in. x 16.34 in. x 9.65 in. (41.5cm x 41.5cm x 24.5cm), weight: 20.70 lbs (9.41 kg)

CTM-A2415HC - 14.96 in. x 14.65 in. x 9.84 in. (38cm x 37.2cm x 25cm), weight: 15.75 lbs (7.16 kg)

Phone Measurements:

CTM-A2415 - 5.71 in. x 2.91 in. x 6.50 in. (14.5cm x 7.4cm x 16.5cm)

CTM-A2415 (wall position) - 8.46 in. x 2.91 in. x 2.56 in. (21.5cm x 7.4cm x 6.5cm)

CTM-A2415HC - 3.74 in. x 2.76 in. x 8.46 in. (9.5cm x 7cm x 21.5cm)

CTM-C4102 - 8.35 in. x 1.69 in. x 1.61 in. (21.2cm x 4.3cm x 4.1cm)

C4012 - 3.74 in. x 2.76 in. x 4.21 in. (9.5cm x 7cm x 10.7cm)

^{*} This feature is available for US and Canada market only.

^{**} The part numbers beginning with 80-H0 are for US and Canada market only.



The Smallest Cordless Phone on the Market

PRODUCT PART NUMBERS**

	Matte Black	Silver Black
CTM-A2415	80-H0DU-15-000	80-H0DU-06-000
CTM-A2415HC	80-H0DV-15-000	80-H0DV-06-000
CTM-C4102 Accessory Handset	80-H0DZ-15-000	80-H0DZ-06-000
C4012 Accessory Charger	80-H0E2-15-000	80-H0E2-06-000



For more information and to view our extensive range of hotel telephones please visit our website.

^{*} This feature is available for US and Canada market only.

^{**} The part numbers beginning with 80-H0 are for US and Canada market only.